

Module (Course Syllabus) Catalogue

2023-2024


College/ Institute	College of Erbil Technical Engineering	
Department	Civil Engineering	
Module Name	Reinforced Concrete Structures	
Module Code	RCS702	
Degree	Technical Diploma <input type="checkbox"/>	Bachelor <input checked="" type="checkbox"/>
	High Diploma <input type="checkbox"/>	Master <input type="checkbox"/> PhD <input type="checkbox"/>
Semester	7 th Semester	
Qualification	BSc Civil Engineering Techniques/ Erbil	
Scientific Title	Assistant Professor	
ECTS (Credits)	6	
Module type	Prerequisite <input type="checkbox"/>	Core <input checked="" type="checkbox"/> Assist. <input type="checkbox"/>
Weekly hours		
Weekly hours (Theory)	(4)hr Class	(162)Total hrs Workload
Weekly hours (Practical)	()hr Class	()Total hrs Workload
Number of Weeks	12	
Lecturer (Theory)	Dr. Bahman Omar Taha Ms. Zina A. Abduljaleel	
E-Mail & Mobile NO.	Email: bahman.taha@epu.edu.iq Email: zina.abduljaleel@epu.edu.iq	
Lecturer (Practical)		
E-Mail & Mobile NO.		
Websites		

	Paper Review			All	
	Assignments	Homework	10%		
		Class Activity	2%		
		Report			
		Seminar	8%		
		Essay			
		Project	8%		
	Quiz	8%			
	Lab.				
	Midterm Exam	24%			
	Final Exam	40%			
Total	100%				
Course References:	<p>1- ACI 318M-19” Building code requirements for structural concrete” “Design of Concrete Structure “13th edition, Arthur H. Nilson, David Darwin and Charles W. Dolan 2004.</p> <p>2- “Reinforced Concrete Mechanics and Design” third edition, James G. Macgregor 1997.</p> <p>3- “Reinforced Concrete Design of tall Buildings”, Bungale S. Taranath, 2010.</p> <p>4- “Reinforced Concrete a Fundamental approach” fifth edition, Edward G. Nawy 2005.</p>				
Course topics (Theory)		Week	Learning Outcome		
Introduction Torsion in beams		1-2	a)		
Beams Deflection Control Beams Crack Control		3	b)		
Method of Slab Analysis & Design: - Direct Design Method. - Equivalent Design Method.		4-7	c)		
Method of Slab Analysis & Design: - Equivalent Design Method.		8-9	c)		
Design of Multi-storey Buildings		10	d)		
Pre-stress Concrete.		11-12	e)		
Practical Topics		Week	Learning Outcome		
N/A					

Questions Example Design

Q1/ A two-way slab floor system as shown below. It is divided into 9 panels. Cylindrical Concrete compressive strength, $f_c = 25\text{MPa}$ and steel yield strength, $f_y = 420\text{MPa}$. Additional dead load $= 1.0\text{ kN/m}^2$, service live load is to be taken 3.0 kN/m^2 , story height is 3.70m . The preliminary sizes are as follows Slab thickness is 250mm , Slab thickness is 400mm at drops columns sizes are $400 \times 400\text{ mm}$. Determine

- 1- Minimum Slab Thickness according to ACI Code
- 2- Using Equivalent Frame Method Find column strip & Middle Strip (+ve and -ve) moments for Frame A
- 3- Find the Required steel and spacing for the maximum +ve & -ve moments of Frame A



Take

- Clear Cover for slab $= 20\text{mm}$
- $\phi 12\text{mm}$ steel reinforcement used for slab reinforcement.
- $B_t = 0$ (for determining column strip exterior negative factored moments).

Solution

Solution

1-

Maximum Span is 8.0m $L_n = 8.0 * 0.4 = 7.60\text{m}$

1-Exterior Panels $L_n/30 = 7.6 * 1000/30 = 228\text{mm}$

2-Interior Panels $L_n/33 = 7.6 * 1000/33 = 230\text{mm}$


2-

$W_u = 1.2d.l + 1.6l.l =$

$W_u = 1.2(0.275 * 24 + 1.0)1.6 * 3.0 = 13.92\text{ kN/m}^2$

$d = 275 - 20 - 6 = 249\text{mm}$

$b_o = 2(400 + 249/2) = 1049\text{mm}$



$$a) \phi V_c = \left[1 + \frac{2}{\beta c} \right] \frac{\phi}{6} \sqrt{f'c} * b_o * d$$

$$\phi V_c = \left[1 + \frac{2}{1} \right] \frac{0.75}{6} \sqrt{25} * 1049 * 249 = 489.75 kN$$

$$b) \phi V_c = \left[\frac{\alpha * d}{b_o} + 2 \right] \frac{\phi}{12} \sqrt{f'c} * b_o * d$$

$$\phi V_c = \left[\frac{20 * 249}{1049} + 2 \right] \frac{0.75}{12} \sqrt{25} * 1049 * 249 = 550.76 kN$$

$$c) \phi V_c = \frac{\phi}{3} \sqrt{f'c} * b_o * d$$


$$\phi V_c = \frac{0.75}{3} \sqrt{25} * 1049 * 249 = 326.50 kN$$

Applied $V_u = 13.92 * (3.5 * 3 - 0.5245 * 0.5245) = 142.33 kN < \phi V_c$ ok

3.

$$M_{o1} = 1/8 * 6 * 13.92 * 6.6^2 = 454.77 kN.m$$

$$M_{o1} = 1/8 * 6 * 13.92 * 7.6^2 = 603.01 kN.m$$



For Span 1 $L_2/L_1 = 6/7 = 0.86m$

For Span 2 $L_2/L_1 = 6/8 = 0.75m$

Ext Neg-----100%

Inter Neg----95%

+Ve moment-----60%

	Exter Span			Inter Span		
	Ext. -Ve	+Ve	-Ve	Neg	+Ve	Ve
Total Moment	118.24	236.48	318.34	39.96	211.05	391.96
Col Str.	118.24	141.89	238.76	293.97	126.63	293.97

Middle Str.	0	94.59	79.59	97.99	94.42	97.99
-------------	---	-------	-------	-------	-------	-------

4.

$$C = \left(1 - 0.63 \frac{x}{y}\right) \frac{x^3 y}{3} = \left(1 - 0.63 \frac{275}{400}\right) \frac{275^3 * 400}{3} = 1571897135 \text{mm}^4$$

$$E_c = 4700 \sqrt{f'_c} = 4700 \sqrt{25} = 23500 \text{MPa}$$

$$K_t = \sum \frac{9 E_{cs} C}{I_2 \left(1 - C_2 / I_2\right)^3}$$

$$K_t = \sum \frac{9 * 23500 * 1571897135}{6000 \left(1 - 400 / 6000\right)^3} = 6.82 * 10^4 \text{kN.m}$$

$$I_c = 400 * 400^3 / 12 = 2133333333 \text{mm}^4$$

$$K_c = 4EI / L = 4 * 23500 * 2133333333 / (3.7 * 1000) = 5.42 * 10^4 \text{kN.m}$$

$$K_{ec} = \frac{\sum K_c}{1 + \frac{\sum K_c}{K_t}}$$


$$K_{ec} = \frac{2 * 5.42 * 10^4}{1 + \frac{2 * 5.42 * 10^4}{2 * 6.82 * 10^4}} = 6.04 * 10^4 \text{kN.m}$$

Q2/ Design the **vertical** steel reinforcements for the beams shown below taking the effect of **Torsion** and **Shear** loads having $f'_c = 28 \text{MPa}$ and $f_y = 414 \text{MPa}$ the beams

(30 marks)

Take

- Clear Cover for beam=40mm
- ϕ 10mm steel reinforcement used for vertical steel reinforcement.
- d=540mm



Solution

$$T_u < 0.083 \phi V f'c (A^2_{cp} / P_{cp})$$

$$A_{CP} = 750 * 150 + 450 * 300 = 247500 \text{ mm}^2$$

$$P_{CP} = 750 + 600 + 300 + 450 + 450 + 150 = 2700 \text{ mm}$$

$$0.083 * 0.75 \sqrt{28} (247500^2 / 2700) = 7.47 * 10^6 \text{ N.mm} = 7.47 \text{ kN.m}$$

$$T_u = 38 < 7.47 \text{ Need Torsion Design}$$

=Check equation %

$$X_o = 300 - 2 * 40 * 10 = 210 \text{ mm}$$

$$Y_o = 600 - 2 * 40 * 10 = 510 \text{ mm}$$

$$A_{oh} = 210 * 510 = 107100$$

$$P_h = 2(X_o + Y_o) = 2(210 + 510) = 1440 \text{ mm}$$

$$V_c = \frac{1}{6} \sqrt{f'c} * b_w * d$$

$$V_c = \frac{1}{6} \sqrt{28} * 300 * 540 = 142.87 \text{ kN}$$

$$\sqrt{\left[\frac{V_u}{b_w d} \right]^2 + \left[\frac{T_u p_h}{1.7 A_{oh}^2} \right]^2} \leq \phi \left(\frac{V_c}{b_w d} + 0.66 \sqrt{f'c} \right)$$

$$\sqrt{\left(\frac{156 * 10^3}{300 * 540} \right)^2 + \left(\frac{38 * 10^6 * 1440}{1.7 * 107100^2} \right)^2} \leq 0.75 \left(\frac{142.87 * 10^3}{300 * 540} + 0.66 * \sqrt{28} \right)$$

$$2.97 < 3.28 \text{ O.K.}$$

$$V_u > \phi V_c$$

$$156 > 0.75 * 142.87 = 107.15 \text{ Need stirrups for shear}$$

$$V_s = \frac{V_u}{\phi} - V_c$$

$$V_s = \frac{156}{0.75} - 142.87 = 65.13 \text{ kN}$$

$$A_v = \frac{V_s * S}{f_y * d}$$

$$A_v = \frac{65.13 * 10^3 * S}{414 * 540} = 0.29S$$

$$T_n = \frac{2 * A_o * A_t * f_{yv}}{S} \cot \phi$$

$$A_o = 0.85 * A_{oh} = 0.85 * 107100 = 91035 \text{ mm}^2$$

$$\frac{38 * 10^6}{0.75} = \frac{2 * 91035 * A_t * 414}{S}$$

$$A_t = 0.67 * S$$

$$A_v + 2 * A_t = 0.29S + 2 * 0.67S = 1.63S > \frac{1}{3} \frac{b_w * S}{f_y} = \frac{1}{3} \frac{300 * S}{414} = 0.24S$$

$$\text{For } \phi 10 \text{ mm } 2A = 2 * 78.5 = 157 \text{ mm}^2$$


$$157 = 1.63 S$$

$$S = 96.3 \text{ mm}$$

$$S_{\max} = p_h / 8 = 1440 / 8 = 180 \text{ mm}$$

$$S_{\max} = 300 \text{ mm}$$

Use $\phi 10 \text{ mm @ } 95 \text{ mm c/c}$



$$A_l = \frac{A_t}{s} P_h \frac{f_{yt}}{f_{yl}} \cot \phi^2 = 0.67 * 1440 = 964.8 \text{ mm}^2$$

$$A_{lmin} = 0.42 \sqrt{f_c} \frac{A_{CP}}{f_y} - \frac{A_t}{s} P_h \frac{f_{yt}}{f_{yl}}$$

$$\frac{A_t}{s} \geq 0.175 \frac{b_w}{f_{yt}}$$

$$\frac{A_t}{s} = 0.67 \geq 0.175 \frac{300}{414} = 0.13$$

$$A_{lmin} = 0.42 \sqrt{28} \frac{247500}{414} - 0.67 * 1440 * 1 = 363.83 \text{ mm}^2$$

Extra notes: * ECTS Calculation

Erbil Technical Engineering College							
Program: Bachelor (240 ECTS)							
Department name:		Technical Civil Engineering Dept.					
#	15-20						

(Min. 12 weeks active lecturing (Including Mid Term exams with no stopping of lectures) + 3 weeks Final & Re-sit Exams

Lecturer Name:	Asst. Prof. Dr. Bahman Omar Taha				1.0 ECTS =	27	working hours
Module Name:	Reinforced Concrete Structures				X	Y	Z
Module Code:	RCS702				4	0	0

ECTS Workload Calculation Form

Activity	S	Description	Activity	No.	T.F. Range		Time	Workload	
					Min	Max			
Course	1	Theory	In class	f	12		4	48	
	2		Online	f	0		4	0	
	3	Preparation: (1-2)* X		h	12	4	8	6	72
	4	Practical		f	0			0	0
	5	Preparation: (1-1.5)* Y		h	0	0	0	2.5	0
	6	Tutorial		f	0	1	1	0	0
	7	Preparation (0.5-1.5) * Z)		h	0	0	0	1.5	0
Site Visits and Lab Experiments	8	Scientific/Field Trips		f	0	2	6	4	0
	9	Practical/Lab Reports		h	0	1	2	1.5	0
Assignment	10	Homework		h	2	1	4	4	8
	11	Report		h		1	4		0
	12	Seminar		h	1	2	10	10	10
	13	Paper		h		4	15		0
	14	Essay		h		1	6		0
	15	Project/Poster		h	1	4	15	4	4
Assessment	16	Quiz		h	2	1	2	1	2
	17	Mid Term	Theory	f	1			1	1
	18		Preparation: (1.5-3)*X	h	1	6	12	6	6
	19		Practical	f	0			1	0
	20		Preparation: (1-2)*Y	h	0	0	0	3	0
	21	Final	Theory	f	1			2	2
	22		Preparation: (3-5)*X	h	1	12	20	12	12
	23		Practical	f	0			1	0
24	Preparation: (2-4)*Y		h	0	0	0	5	0	
Face to face hours (f)/12 week		4.25		Face to face hours (f)				51	
Home hours (h)/15 week		7.60		Home hours (h)				114	
Total hours/15 week		11.00		Total hours				165	
ECTS (Total hours/ 27)							6.111		

External Evaluator

External Evaluator

The course catalogue satisfies and adequate for the module Reinforced Concrete Structures RCS702.

Prof. Dr. Mereen Hassan Fahmi Rasheed